

Lot 1

ALUMY CREEK PATENT V008^{PV}

NKE24V008

DOB: 17/07/2024

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

BALDRIDGE XPAND X743[#]
BALDRIDGE COLONEL C251[#]
BALDRIDGE ISABEL Y69[#]

3F EPIC 4631[#]
EXAR MONUMENTAL 6056B^{PV}
FWY 7008 OF C085 4029[#]

Sire: USA19199070 WOODHILL PATENT^{PV}
EF COMPLEMENT 8088^{PV}
WOODHILL EVERGREEN Y10-C62[#]
WOODHILL EVERGREEN W269-Y10[#]

Dam: NKE22T067 ALUMY CREEK APPLAUSE T067^{SV}
BASIN EXCITEMENT^{PV}
ALUMY CREEK APPLAUSE K60[#]
ALUMY CREEK APPLAUSE H44[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+4.6	+7.7	-6.4	+4.0	+70	+127	+156	+141	+0.20	+8.2	+19	-5.3
ACC	68%	58%	83%	82%	83%	82%	82%	80%	69%	78%	76%	42%
Perc	35	10	24	54	3	1	4	7	77	49	37	42

	SS	Doc	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	CS	FA	LA
EBV	+3.9	+25	+87	+1.2	-1.3	-1.7	-0.5	+2.0	-0.23	+1.12	+0.96	+0.88
ACC	80%	77%	72%	71%	70%	71%	62%	75%	62%	68%	69%	59%
Perc	8	34	9	96	78	74	89	62	10	93	47	13

Selection Indexes

\$A	\$A-L
\$234	\$433
28	7

Traits Observed: GL, BWT, Genomics

Notes: Nice type slick coat, thick made Patent son combines calving ease, short gestation with top 1% growth & top 10% carcass wt & feed efficiency for extra kilos. Good heifer or cow bull with top 8% fertility traits & +2.0 marbling. All rounder top 4-30% across all \$ Index
Purchaser: \$

Lot 2

ALUMY CREEK BONUS V021^{PV}

NKE24V021

DOB: 20/07/2024

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CA2%,DDFU,NHFU

SYDGEN GOOGOL[#]
SYDGEN EXCEED 3223^{PV}
SYDGEN FOREVER LADY 1255[#]

EF COMMANDO 1366^{PV}
BALDRIDGE 38 SPECIAL^{PV}
BALDRIDGE ISABEL Y69[#]

Sire: USA19169335 SYDGEN BONUS 8084^{PV}
G A R PROPHET^{SV}
SYDGEN BLACKCAP 5371[#]
H P C A 5050 212[#]

Dam: NKE22T186 ALUMY CREEK TRILOGY T186^{SV}
FREYS OPPORTUNITY 148A^{PV}
ALUMY CREEK TRILOGY P060[#]
ALUMY CREEK TRILOGY G74[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+0.7	-3.7	-5.1	+5.0	+63	+104	+138	+104	+0.24	+9.1	+23	-3.9
ACC	70%	61%	83%	83%	84%	82%	83%	81%	71%	81%	78%	47%
Perc	70	95	42	75	11	24	19	48	67	32	18	74

	SS	Doc	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	CS	FA	LA
EBV	+2.6	+35	+89	+6.3	-0.5	-0.6	-0.1	+2.0	-0.07	+0.88	+0.98	+1.12
ACC	81%	79%	73%	73%	72%	73%	64%	76%	65%	70%	70%	66%
Perc	35	9	8	55	62	57	74	62	20	59	52	77

Selection Indexes

\$A	\$A-L
\$213	\$351
51	60

Traits Observed: GL, BWT, Genomics

Notes: Thick well muscled Bonus x 38Special son with top 10% growth, carcass wt and docility, plus top 20% feed efficiency and milk. Good Angus type, will make top feeders or replacement females. Bonus sired the 2nd top seller at Texas this year.
Purchaser: \$

Lot 3

ALUMY CREEK ENTICE V042^{SV}

NKE24V042

DOB: 23/07/2024

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SYDGEN EXCEED 3223^{PV}
SYDGEN ENHANCE^{SV}
SYDGEN RITA 2618[#]

MUSGRAVE AVIATOR^{SV}
MUSGRAVE APACHE^{SV}
MUSGRAVE CAROLINE 1304-189[#]

Sire: USA18952921 MOGCK ENTICE^{SV}
MOGCK SURE SHOT 253[#]
MOGCK ERICA 2255[#]
MOGCK ERICA 2162[#]

Dam: NKEP093 ALUMY CREEK TANDIA P093[#]
POSS ELEMENT 215[#]
ALUMY CREEK TANDIA M067[#]
ALUMY CREEK TANDIA K26[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+2.9	+4.7	-5.5	+4.6	+61	+110	+139	+113	+0.30	+9.9	+25	-5.1
ACC	68%	59%	83%	82%	83%	82%	82%	80%	69%	80%	76%	43%
Perc	52	38	36	67	14	12	16	34	50	20	10	47

	SS	Doc	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	CS	FA	LA
EBV	+2.5	+27	+88	+3.1	-0.9	-3.0	-0.5	+2.7	-0.30	+1.06	+1.08	+0.98
ACC	80%	77%	71%	70%	70%	71%	62%	74%	62%	72%	71%	63%
Perc	38	27	9	87	71	88	89	45	7	88	75	36

Selection Indexes

\$A	\$A-L
\$214	\$376
50	40

Traits Observed: GL, BWT, Genomics

Notes: Bigger framed very long stretchy free moving Entice x Apache bull. Big spring & depth of rib, good skin & clean sheathed. V balanced data top 30% or better x 10 traits. Be sure to keep replacement females too.
Purchaser: \$

Lot 4

ALUMY CREEK THEDFORD V159^{PV}

NKE24V159

DOB: 26/08/2024

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY BLACK GRANITE[#]
BAR R JET BLACK 5063^{PV}
BAR R IRIS ANITA 0113[#]

Sire: USA19820180 HOFFMAN THEDFORD^{PV}
KG SOLUTION 0018[#]
HA RITO LADY 3839[#]
HA RITO LADY 0622[#]

EF COMMANDO 1366^{PV}
BALDRIDGE COMPASS C041^{SV}
BALDRIDGE ISABEL Y69[#]

Dam: NKE21S150 ALUMY CREEK TRILOGY S150^{SV}
CONNEALY EARNAN 076E^{PV}
ALUMY CREEK TRILOGY M077[#]
ALUMY CREEK TRILOGY H20[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	-1.7	+6.7	-3.3	+5.2	+69	+121	+162	+122	+0.17	+5.4	+20	-3.2
ACC	66%	57%	83%	82%	83%	81%	82%	79%	68%	79%	75%	42%
Perc	83	17	70	78	3	3	2	22	84	91	32	85

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+3.0	+9	+99	+12.9	-2.8	-4.9	+0.9	+1.8	-0.08	+0.70	+0.64	+0.78
ACC	80%	76%	71%	70%	70%	70%	61%	74%	62%	71%	71%	60%
Perc	23	89	2	5	95	98	20	67	19	23	2	4

Selection Indexes

\$A	\$A-L
\$244	\$405
19	19

Traits Observed: GL, BWT, Genomics

Notes: Solid deep big ribbed & capacity strong spined Thedford bull with strong sirey outlook. Thick nuggety B+ muscled bull with moderate frame, big volume & plenty of muscle. Top 3% growth, top 2% carcass wt +12.9 EMA. Add grunt & extra kilos to those weaners and feeders

Purchaser: \$

Lot 5

ALUMY CREEK CRAFTSMAN V080^{SV}

NKE24V080

DOB: 28/07/2024

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

SITZ STELLAR 726D^{PV}
SITZ RESILIENT 10208^{PV}
SITZ MISS BURGESS 1856[#]

Sire: USA20132505 CONNEALY CRAFTSMAN^{PV}
CONNEALY NIOBRARA 5451[#]
BLACK CATHY OF CONANGA 8521[#]
BLACK CARLA OF CONANGA 450[#]

CONNEALY CAPITALIST 028[#]
LD CAPITALIST 316^{PV}
LD DIXIE ERICA 2053[#]

Dam: NKEP072 ALUMY CREEK TANDIA P072[#]
CONNEALY EARNAN 076E^{PV}
ALUMY CREEK TANDIA K42[#]
ALUMY CREEK TANDIA G61[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	-1.2	+6.2	-4.3	+5.5	+63	+112	+144	+138	+0.44	+7.0	+26	-6.5
ACC	69%	58%	84%	83%	84%	82%	82%	79%	66%	77%	75%	44%
Perc	81	22	55	83	11	10	11	9	16	72	7	20

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+2.7	+16	+85	+7.0	+0.6	+1.1	+0.2	+1.0	+0.35	+1.14	+1.16	+0.84
ACC	80%	79%	71%	71%	70%	71%	62%	74%	62%	71%	71%	66%
Perc	31	70	13	47	37	29	58	84	63	94	88	8

Selection Indexes

\$A	\$A-L
\$226	\$406
36	18

Traits Observed: GL, BWT, Genomics

Notes: B- muscled \$500K Craftsman x 316 bull with good length of neck & spine & good capacity & skin. Bigger growth data with top 10 -11% growth, top 13% carcass wt ebvs, +7.0 EMA & (+)ve fats for easy finish

Purchaser: \$

Lot 6

ALUMY CREEK REVERED V063^{PV}

NKE24V063

DOB: 21/07/2024

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CA1%,DDFU,NHFU

BASIN RAINMAKER 2704[#]
BASIN RAINMAKER 4404^{PV}
BASIN JOY 1036[#]

Sire: USA19548516 LT REVERED^{SV}
S FOUNDATION 514^{PV}
LT ASHLEY 7078[#]
LT ASHLEY 8263[#]

SYDGEN ENHANCE^{SV}
MOGCK ENTICE^{SV}
MOGCK ERICA 2255[#]

Dam: NKER046 ALUMY CREEK TRILOGY R046^{SV}
DEER VALLEY ALL IN^{SV}
ALUMY CREEK TRILOGY M084[#]
ALUMY CREEK TRILOGY Z37^{SV}

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+8.1	+8.1	-5.3	+0.5	+57	+113	+132	+95	+0.39	+6.4	+19	-5.7
ACC	66%	57%	83%	82%	83%	81%	82%	79%	66%	78%	75%	42%
Perc	8	8	39	4	26	9	29	61	26	80	40	34

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+2.2	+22	+79	+3.8	+1.9	+1.5	-0.4	+3.2	+0.51	+1.30	+1.08	+0.82
ACC	80%	76%	71%	70%	70%	70%	61%	74%	61%	70%	70%	59%
Perc	49	44	23	82	15	23	86	34	78	99	75	6

Selection Indexes

\$A	\$A-L
\$258	\$428
10	9

Traits Observed: Genomics

Notes: Slick coated, curve bender Revered x Entice son with top 8% calving ease & top 4% low birth wt combined with top 9-29% growth wt, top 23% carcass wt, positive fats for easy finishing & +3.2 IMF. Elite top 5 14% across all \$ Indexes for flexible market options.

Purchaser: \$

Lot 7

ALUMY CREEK STATESMAN V155^{SV}

NKE24V155

DOB: 23/08/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

S S NIAGARA Z29^{SV}
TEHAMA PATRIARCH F028^{PV}
TEHAMA ELITE BLACKBIRD D826[#]

POSS EASY IMPACT 0119[#]
POSS ELEMENT 215[#]
POSS ERICA 004[#]

Sire: USA20085208 VIRGINIA TECH STATESMAN^{PV}
ELLINGSON HOMESTEAD 6030[#]
VPI 310A RITA 9G6 ET[#]
AED RITA 310A[#]

Dam: NKEN019 ALUMY CREEK TANDIA N019[#]
CARABAR WHEEL WRIGHT H215^{PV}
ALUMY CREEK TANDIA L015[#]
ALUMY CREEK TANDIA J92[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	-6.4	-1.7	-2.2	+4.3	+66	+111	+136	+120	+0.25	+9.2	+16	-6.8
ACC	65%	54%	84%	82%	83%	81%	81%	78%	63%	75%	74%	39%
Perc	96	89	84	61	5	11	21	25	64	30	65	16

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+3.1	+2	+81	+12.5	+0.2	-0.1	+1.0	+1.3	+0.37	+0.84	+0.88	+0.98
ACC	79%	75%	70%	69%	69%	70%	60%	74%	60%	69%	69%	57%
Perc	20	98	18	6	46	48	16	78	65	51	28	36

Selection Indexes	
\$A	\$A-L
\$250	\$404
15	20

Traits Observed: GL, BWT, Genomics

Notes: Soft easy doing slick coat freemoving well muscled Statesman x Poss Element with good sirey outlook. Long bodied, clean sheath, good capacity, spring & depth of rib. Top 5 -21% growth & carcase wt, top 20% fertility & 9 -20% all 10 x \$ Index & +12.5 EMA & (+)ve fats

Purchaser: \$

Lot 8

ALUMY CREEK PATENT V036^{PV}

NKE24V036

DOB: 22/07/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

BALDRIDGE XPAND X743[#]
BALDRIDGE COLONEL C251[#]
BALDRIDGE ISABEL Y69[#]

3F EPIC 4631[#]
EXAR MONUMENTAL 6056B^{PV}
FWY 7008 OF C085 4029[#]

Sire: USA19199070 WOODHILL PATENT^{PV}
EF COMPLEMENT 8088^{PV}
WOODHILL EVERGREEN Y10-C62[#]
WOODHILL EVERGREEN W269-Y10[#]

Dam: NKE22T091 ALUMY CREEK TRILOGY T091^{PV}
BALDRIDGE COMPASS C041^{SV}
ALUMY CREEK TRILOGY Q100^{SV}
ALUMY CREEK TRILOGY N054[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+4.0	+5.8	-5.7	+3.7	+62	+107	+132	+92	+0.08	+3.9	+23	-6.9
ACC	68%	59%	84%	83%	84%	82%	83%	80%	69%	78%	77%	43%
Perc	41	26	33	48	12	18	29	66	95	98	14	15

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+3.8	+35	+66	+6.1	-1.0	-2.1	+0.3	+2.2	+0.09	+0.92	+1.06	+1.00
ACC	81%	78%	72%	72%	71%	72%	62%	76%	64%	67%	67%	57%
Perc	9	9	59	58	73	79	52	58	34	67	71	42

Selection Indexes	
\$A	\$A-L
\$260	\$419
9	12

Traits Observed: GL, BWT, Genomics

Notes: Thick made Patent x Monumental/ Compass son from 1st calf heifer. Ideal heifer bull balanced EBVs top 25% calving ease, low birthwt, top 10 -30% growth wts, top 10% docility & fertility, top 15% milk. Balanced top 10 - 17% all \$ Indexes for flexible market options.

Purchaser: \$

Lot 9

ALUMY CREEK PATENT V037^{PV}

NKE24V037

DOB: 22/07/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

BALDRIDGE XPAND X743[#]
BALDRIDGE COLONEL C251[#]
BALDRIDGE ISABEL Y69[#]

SYDGEN ENHANCE^{SV}
MOGCK ENTICE^{SV}
MOGCK ERICA 2255[#]

Sire: USA19199070 WOODHILL PATENT^{PV}
EF COMPLEMENT 8088^{PV}
WOODHILL EVERGREEN Y10-C62[#]
WOODHILL EVERGREEN W269-Y10[#]

Dam: NKE22T180 ALUMY CREEK TRILOGY T180^{SV}
BASIN EXCITEMENT^{PV}
ALUMY CREEK TRILOGY J74[#]
ALUMY CREEK TRILOGY G44[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+7.4	+8.3	-4.8	+4.1	+61	+107	+133	+114	+0.28	+6.9	+19	-5.2
ACC	68%	59%	83%	82%	84%	82%	82%	80%	69%	79%	76%	42%
Perc	12	7	47	56	16	18	26	32	56	74	38	45

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+5.5	+23	+52	+8.3	-1.6	-2.6	+0.6	+1.6	+0.21	+1.00	+1.00	+0.86
ACC	80%	77%	71%	71%	70%	71%	61%	75%	62%	69%	69%	60%
Perc	1	40	89	33	83	85	34	72	47	81	57	10

Selection Indexes	
\$A	\$A-L
\$228	\$405
34	19

Traits Observed: GL, BWT, Genomics

Notes: Strong spined slick coated Patent x Entice/ Excitement. Balanced EBVs top 12% calving ease with top 16 -26% growth. Top 1% scrotal/ fertility & +8.3 EMA. Maternal longevity excellence granddam 11 calves @ 13yo. Breed good feeders & top replacements from your heifers.

Purchaser: \$

Lot 10

ALUMY CREEK STEP UP V061^{PV}

NKE24V061

DOB: 25/07/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

G A R SURE FIRE^{SV}
G A R BIG STEP K715[#]
CHAIR ROCK PROPHET 3131[#]

V A R DISCOVERY 2240^{PV}
FERGUSON TRAILBLAZER 239E^{SV}
MOLITOR999 BARBELLA 940-3012[#]

Sire: USA19430597 EZAR STEP UP 9178^{PV}Dam: NKER072 ALUMY CREEK TRILOGY R072^{SV}

EXAR DENVER 2002B[#]
BASIN LUCY 4261[#]
BASIN LUCY 1022[#]

BALDRIDGE COMPASS C041^{SV}
ALUMY CREEK TRILOGY P075^{SV}
ALUMY CREEK TRILOGY M042[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+5.3	+7.1	-2.5	+2.6	+62	+116	+155	+132	+0.10	+8.1	+24	-4.1
ACC	67%	56%	84%	83%	84%	82%	82%	79%	68%	79%	75%	42%
Perc	29	14	81	25	11	6	4	13	93	51	12	70

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+3.6	+8	+91	+3.7	+1.4	+0.7	-0.6	+2.6	+0.61	+0.98	+0.98	+0.96
ACC	80%	77%	72%	71%	70%	71%	61%	75%	63%	71%	71%	63%
Perc	11	92	6	83	22	35	91	48	85	78	52	30

Selection Indexes

\$A	\$A-L
\$222	\$409
42	17

Traits Observed: GL, BWT, Genomics

Notes: Big powerful Step Up son lots of thickness, spring & depth of rib. Big capacity well muscled bull great sire appeal. Top 6% growth & carcase wt ebvs, (+)ve fats & +2.6 IMF for extra profit. Clean sheathed, good skin & a distinctive not detrimental face birthmark

Purchaser: \$

Lot 11

ALUMY CREEK STATESMAN V094^{PV}

NKE24V094

DOB: 30/07/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

S S NIAGARA Z29^{SV}
TEHAMA PATRIARCH F028^{PV}
TEHAMA ELITE BLACKBIRD D826[#]

V A R DISCOVERY 2240^{PV}
FERGUSON TRAILBLAZER 239E^{SV}
MOLITOR999 BARBELLA 940-3012[#]

Sire: USA20085208 VIRGINIA TECH STATESMAN^{PV}Dam: NKE21S039 ALUMY CREEK TRILOGY S039^{SV}

ELLINGSON HOMESTEAD 6030[#]
VPI 310A RITA 9G6 ET[#]
AED RITA 310A[#]

EF PRIME QUARTER 5369^{PV}
ALUMY CREEK TRILOGY Q013[#]
ALUMY CREEK TRILOGY M084[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+5.1	+8.2	-3.8	+3.5	+59	+109	+139	+140	+0.35	+9.9	+9	-3.9
ACC	66%	56%	84%	82%	83%	81%	82%	79%	66%	77%	75%	40%
Perc	31	7	63	43	21	14	16	8	36	20	96	74

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+0.4	+23	+68	+1.8	+0.9	-0.1	-0.2	+2.7	-0.21	+1.10	+0.86	+0.86
ACC	79%	76%	70%	70%	69%	70%	60%	74%	61%	70%	70%	57%
Perc	96	41	53	93	31	48	78	45	11	91	24	10

Selection Indexes

\$A	\$A-L
\$208	\$395
57	25

Traits Observed: GL, BWT, Genomics

Notes: Long bodied free moving well muscled Statesman son. Big volume, spring & depth of rib with strong sirey outlook. Low bwt , good calving ease & top 8 -21% growth & top 11% feed efficiency ebvs.

Purchaser: \$

Lot 12

ALUMY CREEK VICTOR V120^{PV}

NKE24V120

DOB: 16/08/2024Registration Status: HBRMating Type: NaturalGenetic Status: AMFU,CA2%,DDFU,NHFU

BRUNS BLASTER^{PV}
MUSGRAVE AVENGER^{PV}
MUSGRAVE PRIDE 1532[#]

SYDGEN ENHANCE^{SV}
MOGCK ENTICE^{SV}
MOGCK ERICA 2255[#]

Sire: QPDR65 BULLIAC R65^{PV}Dam: NKE22T101 ALUMY CREEK APPLAUSE T101^{SV}

GDAR LEUPOLD 298[#]
BULLIAC ESTER P125^{SV}
BULLIAC ESTER K67[#]

BALDRIDGE COMPASS C041^{SV}
ALUMY CREEK APPLAUSE N061[#]
ALUMY CREEK APPLAUSE J69[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+3.7	+2.8	-5.1	+4.5	+58	+109	+137	+97	+0.19	+6.3	+24	-4.9
ACC	65%	56%	82%	81%	82%	80%	81%	78%	66%	77%	74%	40%
Perc	44	59	42	65	23	14	19	58	80	82	12	52

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+2.7	+32	+84	+5.3	+0.3	-0.6	+0.2	+3.2	+0.32	+0.72	+0.62	+0.92
ACC	78%	75%	69%	68%	68%	69%	58%	73%	60%	65%	65%	59%
Perc	31	13	14	67	43	57	58	34	60	26	2	20

Selection Indexes

\$A	\$A-L
\$247	\$401
17	22

Traits Observed: BWT, Genomics

Notes: Slick coat well muscled attractive Bulliac R65 son x Entice/ Compass 1st calf heifer. Combines CE, mod bwt with top 14% growth & carcase wt, top 13% docility & top 12% milk. Easy doing (+)ve fat, +3.2 IMF & balanced top 15 -30% all \$ Indexes flexible market options.

Purchaser: \$

Lot 13

ALUMY CREEK THEDFORD V126 ^{PV}

NKE24V126

DOB: 18/08/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY BLACK GRANITE #
BAR R JET BLACK 5063 ^{PV}
BAR R IRIS ANITA 0113 #

CONNEALY SANDMAN ^{PV}
ALUMY CREEK SANDMAN N081 ^{SV}
ALUMY CREEK DORIS L064 #

Sire: USA19820180 HOFFMAN THEDFORD ^{PV}Dam: NKE21S158 ALUMY CREEK TRILOGY S158 ^{SV}
KG SOLUTION 0018 #
BASIN EXCITEMENT ^{PV}
HA RITO LADY 3839 #
ALUMY CREEK TRILOGY K06 #
HA RITO LADY 0622 #
ALUMY CREEK TRILOGY H20 #

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+7.4	+4.8	-7.7	+2.2	+59	+110	+140	+85	+0.12	+6.8	+31	-3.7
ACC	65%	55%	83%	82%	83%	81%	81%	78%	65%	76%	75%	40%
Perc	12	37	11	19	19	12	15	75	91	74	2	77

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+1.8	+10	+91	+8.8	-0.2	-1.7	+0.3	+1.9	-0.46	+1.02	+0.56	+0.70
ACC	79%	75%	70%	70%	69%	70%	60%	74%	61%	69%	69%	57%
Perc	64	87	6	28	55	74	52	65	3	83	1	1

Selection Indexes	
\$A	\$A-L
\$243	\$389
20	30

Traits Observed: GL, BWT, Genomics

Notes: Nice bodied Thedford with extra volume & length. Combines top 12% calving ease & short gestation, low birth wt & top 12% growth wt. Top 6% carcass wt & top 3% Feed Efficiency for grow fast feeders & top 2% milk if keeping replacements. Top 1% structure & balanced top 20 -30% \$ Indexes.
Purchaser: \$

Lot 14

ALUMY CREEK CONVERSE V125 ^{PV}

NKE24V125

DOB: 17/08/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY CONFIDENCE 0100 #
CONNEALY CONFIDENCE PLUS #
ELBANNA OF CONANGA 1209 #

SYDGEN ENHANCE ^{SV}
MOGCK ENTICE ^{SV}
MOGCK ERICA 2255 #

Sire: USA19251492 LT CONVERSE 8011 ^{PV}Dam: NKE21S018 ALUMY CREEK TANDIA S018 ^{SV}
KOUPL ADVANCE 28 #
DEER VALLEY ALL IN ^{SV}
LT NORDICA 6066 #
ALUMY CREEK TANDIA M092 #
LT NORDICA 3278 #
ALUMY CREEK TANDIA G61 #

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+9.4	+3.5	-11.4	+1.1	+56	+104	+130	+100	+0.32	+6.5	+24	-3.4
ACC	67%	56%	84%	83%	84%	82%	82%	80%	66%	77%	76%	41%
Perc	3	52	1	8	32	24	32	53	44	79	13	82

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+1.2	+33	+81	+10.3	+0.6	+1.7	-0.1	+2.3	+0.20	+0.86	+0.68	+0.98
ACC	81%	78%	71%	71%	70%	71%	62%	75%	62%	69%	68%	59%
Perc	83	12	19	16	37	21	74	55	46	55	4	36

Selection Indexes	
\$A	\$A-L
\$225	\$378
38	38

Traits Observed: GL, BWT, Genomics

Notes: Good LT Converse x 1st calf Entice heifer. Combines top 1% GL for early calves, top 3% calving ease & top 8% low birth wt with top 32% growth wt, top 19% carcass wt, top 12% docility, top 13% milk, +10.3 EMA, (+)ve fats for easy finish & +2.3 IMF. Ideal heifer bull.
Purchaser: \$

Lot 15

ALUMY CREEK CONVERSE V040 ^{PV}

NKE24V040

DOB: 23/07/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY CONFIDENCE 0100 #
CONNEALY CONFIDENCE PLUS #
ELBANNA OF CONANGA 1209 #

SYDGEN ENHANCE ^{SV}
MOGCK ENTICE ^{SV}
MOGCK ERICA 2255 #

Sire: USA19251492 LT CONVERSE 8011 ^{PV}Dam: NKE21S028 ALUMY CREEK DORIS S028 ^{SV}
KOUPL ADVANCE 28 #
EXAR UPSHOT 0562B #
LT NORDICA 6066 #
ALUMY CREEK DORIS K29 #
LT NORDICA 3278 #
ALUMY CREEK DORIS G37 #

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+1.0	+7.6	-10.5	+4.9	+62	+109	+127	+91	+0.17	+8.3	+16	-5.8
ACC	66%	55%	83%	82%	83%	81%	82%	79%	65%	76%	75%	40%
Perc	68	11	2	73	13	14	38	68	84	47	60	32

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+2.9	+26	+71	+8.7	-1.2	-1.1	+0.0	+3.4	-0.14	+0.98	+1.06	+1.08
ACC	80%	76%	70%	70%	69%	70%	60%	73%	60%	69%	69%	60%
Perc	25	29	44	29	76	65	69	30	15	78	71	67

Selection Indexes	
\$A	\$A-L
\$263	\$416
8	13

Traits Observed: GL, BWT, Genomics

Notes: Another LT Converse x Entice 1st calf heifer bull. Balanced data top 2% short gestation, top13% growth wt, top 15 % feed efficiency with docility & fertility and +8.7 EMA & +3.4 Marbling. Converse also sired the \$55K Texas 2026 sale topper.
Purchaser: \$

Lot 16

ALUMY CREEK STATESMAN V075^{SV}

NKE24V075

DOB: 27/07/2024

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

S S NIAGARA Z29^{SV}
TEHAMA PATRIARCH F028^{PV}
TEHAMA ELITE BLACKBIRD D826[#]

CONNEALY CAPITALIST 028[#]
LD CAPITALIST 316^{PV}
LD DIXIE ERICA 2053[#]

Sire: USA20085208 VIRGINIA TECH STATESMAN^{PV}
ELLINGSON HOMESTEAD 6030[#]
VPI 310A RITA 9G6 ET[#]
AED RITA 310A[#]

Dam: NKEP067 ALUMY CREEK TRILOGY P067[#]
MYTTY IN FOCUS[#]
ALUMY CREEK TRILOGY F19[#]
ALUMY CREEK TRILOGY D32[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+6.6	+7.4	-1.7	+1.4	+51	+84	+100	+69	+0.34	+4.8	+16	-7.5
ACC	68%	58%	84%	83%	83%	81%	82%	79%	68%	79%	76%	45%
Perc	18	12	88	10	56	78	88	90	38	95	66	9

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+1.5	+15	+62	+4.9	+2.2	+3.3	-0.5	+4.1	+0.63	+1.02	+0.98	+0.96
ACC	80%	76%	71%	71%	70%	71%	62%	75%	62%	70%	70%	60%
Perc	74	75	69	71	12	7	89	18	86	83	52	30

Selection Indexes

\$A	\$A-L
\$257	\$402
11	21

Traits Observed: GL, BWT, Genomics

Notes: Chasing marbling - check this well muscled Statesman son out. Long bodied good sirey outlook, good spring & depth of rib & capacity. Top 10% low bwt, top 12 % CE with (+)ve fats & +4.1 IMF. Top 7 -26% or better for 10 \$ Indexes
Purchaser: \$

Lot 17

ALUMY CREEK STEP UP V056^{PV}

NKE24V056

DOB: 24/07/2024

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CA1%,DDFU,NHFU

G A R SURE FIRE^{SV}
G A R BIG STEP K715[#]
CHAIR ROCK PROPHET 3131[#]

V A R GENERATION 2100^{PV}
EF PRIME QUARTER 5369^{PV}
EF RITA 3422[#]

Sire: USA19430597 EZAR STEP UP 9178^{PV}
EXAR DENVER 2002B[#]
BASIN LUCY 4261[#]
BASIN LUCY 1022[#]

Dam: NKE21S011 ALUMY CREEK NANCY S011^{SV}
BASIN EXCITEMENT^{PV}
ALUMY CREEK NANCY J02[#]
ALUMY CREEK NANCY G29[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+8.3	+5.9	-4.8	+2.8	+52	+88	+116	+95	+0.27	+5.5	+21	-3.8
ACC	67%	56%	84%	83%	84%	82%	83%	80%	66%	77%	76%	42%
Perc	7	25	47	29	51	68	61	62	59	90	24	76

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+2.5	+12	+53	+5.6	-0.1	-0.5	+0.2	+2.2	-0.29	+0.86	+0.90	+0.98
ACC	80%	78%	72%	71%	71%	72%	62%	75%	63%	70%	70%	61%
Perc	38	84	87	64	53	55	58	58	8	55	33	36

Selection Indexes

\$A	\$A-L
\$196	\$341
69	68

Traits Observed: GL, BWT, Genomics

Notes: Nice type Step Up son with top 7% calving ease, low birthwt with top 8% feed efficiency & top 25% milk in balanced dataset from good fertility & longevity cowline. Suits heifers will produce good replacements.
Purchaser: \$

Lot 18

ALUMY CREEK STATESMAN V157^{SV}

NKE24V157

DOB: 24/08/2024

Registration Status: HBR

Mating Type: AI

Genetic Status: AMFU,CAFU,DDFU,NHFU

S S NIAGARA Z29^{SV}
TEHAMA PATRIARCH F028^{PV}
TEHAMA ELITE BLACKBIRD D826[#]

CONNEALY CONSENSUS[#]
CONNEALY EARNAN 076E^{PV}
BRAZILA OF CONANGA 3991 839A[#]

Sire: USA20085208 VIRGINIA TECH STATESMAN^{PV}
ELLINGSON HOMESTEAD 6030[#]
VPI 310A RITA 9G6 ET[#]
AED RITA 310A[#]

Dam: NKEM048 ALUMY CREEK APPLAUSE M048[#]
TC ABERDEEN 759^{SV}
ALUMY CREEK APPLAUSE F18[#]
ALUMY CREEK APPLAUSE D24[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	-5.8	+3.7	-3.1	+5.1	+69	+124	+156	+152	+0.29	+9.3	+15	-3.1
ACC	69%	60%	84%	83%	84%	82%	83%	80%	68%	78%	77%	45%
Perc	95	49	73	77	3	2	4	4	53	28	67	87

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+1.0	+20	+90	+1.6	+0.7	-0.7	-0.5	+1.7	-0.08	+0.90	+0.78	+0.84
ACC	80%	77%	73%	72%	71%	72%	63%	76%	64%	69%	69%	57%
Perc	87	53	6	94	35	58	89	70	19	63	11	8

Selection Indexes

\$A	\$A-L
\$189	\$358
75	55

Traits Observed: GL, BWT, Genomics

Notes: Statesman x Earnan son with good length of neck & spine from big longevity/ fertility cow. Combines good spring of rib & capacity with good skin. Moderate bwt with top 2-4% growth, top 6% carcass wt and top 19% feed efficiency ebvs for extra kg profits.
Purchaser: \$

Lot 19

ALUMY CREEK STEP UP V117^{SV}

NKE24V117

DOB: 14/08/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CA3%,DDFU,NHFU

G A R SURE FIRE^{SV}
G A R BIG STEP K715[#]
CHAIR ROCK PROPHET 3131[#]

Sire: USA19430597 EZAR STEP UP 9178^{PV}
EXAR DENVER 2002B[#]
BASIN LUCY 4261[#]
BASIN LUCY 1022[#]

RIVERBEND PEERLESS 0016^{PV}
PA RANCH HOUSE 349^{PV}
PA JENNY 939-137[#]
CONNEALY IMPRESSION[#]
ALUMY CREEK NANCY G29[#]
ALUMY CREEK NANCY E37[#]

Dam: NKEM064 ALUMY CREEK NANCY M064[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+7.3	+4.4	-7.2	+3.1	+52	+90	+110	+106	+0.33	+6.2	+22	-4.4
ACC	66%	55%	84%	83%	84%	82%	82%	79%	65%	76%	75%	42%
Perc	13	41	15	34	52	64	74	44	41	84	23	63

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+2.2	+27	+45	+8.9	+0.5	+0.0	+0.5	+2.5	-0.09	+1.14	+0.94	+0.90
ACC	80%	77%	72%	71%	71%	71%	62%	75%	62%	71%	71%	64%
Perc	49	28	96	27	39	46	40	50	18	94	42	16

Selection Indexes	
\$A	\$A-L
\$206	\$361
59	53

Traits Observed: GL, BWT, Genomics

Notes: Step Up son from another big longevity/ production cow. Good sirey outlook with good length of neck & spine. Good rib & clean sheath. Top 13% calving ease, top 15% short gestation with top 18% feed efficiency, (+)ve fats , +8.9 EMA & +2.5 IMF.

Purchaser: \$

Lot 20

ALUMY CREEK VISCOUNT V129^{PV}

NKE24V129

DOB: 18/08/2024Registration Status: HBRMating Type: NaturalGenetic Status: AMFU,CAFU,DDFU,NHFU

BRUNS BLASTER^{PV}
MUSGRAVE AVENGER^{PV}
MUSGRAVE PRIDE 1532[#]

Sire: QPDR65 BULLIAC R65^{PV}
GDAR LEUPOLD 298[#]
BULLIAC ESTER P125^{SV}
BULLIAC ESTER K67[#]

3F EPIC 4631[#]
EXAR MONUMENTAL 6056B^{PV}
FWY 7008 OF C085 4029[#]
CONNEALY EARNAN 076E^{PV}
ALUMY CREEK APPLAUSE M048[#]
ALUMY CREEK APPLAUSE F18[#]

Dam: NKE22T123 ALUMY CREEK APPLAUSE T123^{SV}

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+4.6	+6.4	-7.4	+4.2	+65	+114	+146	+108	+0.17	+7.9	+21	-3.0
ACC	66%	57%	82%	82%	83%	81%	81%	79%	66%	77%	75%	41%
Perc	35	20	13	59	7	7	10	41	84	56	29	88

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+2.2	+11	+93	+5.1	+0.5	+0.6	-0.8	+3.4	+0.16	+1.04	+0.94	+1.06
ACC	79%	76%	70%	69%	69%	70%	59%	74%	61%	64%	64%	57%
Perc	49	86	5	69	39	36	95	30	42	86	42	61

Selection Indexes	
\$A	\$A-L
\$237	\$400
25	22

Traits Observed: BWT, Genomics

Notes: Bulliac R65 x 1st calf Monumental heifer. Offers calving ease, short GL, top 7-10% growth, top 5% carcass wt, (+)ve fats for easy finish & +3.4 IMF Marbling. Gd length of neck & spine, depth & spring of rib & sirey head. Clean sheath, good skin. Good heifer bull.

Purchaser: \$

Lot 21

ALUMY CREEK REVERED V123^{PV}

NKE24V123

DOB: 17/08/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

BASIN RAINMAKER 2704[#]
BASIN RAINMAKER 4404^{PV}
BASIN JOY 1036[#]

Sire: USA19548516 LT REVERED^{SV}
S FOUNDATION 514^{PV}
LT ASHLEY 7078[#]
LT ASHLEY 8263[#]

G A R PROPHET^{SV}
G A R PROACTIVE^{SV}
G A R DAYBREAK 1521[#]
VISION UNANIMOUS 1418^{PV}
ALUMY CREEK TRILOGY N035[#]
ALUMY CREEK TRILOGY G44[#]

Dam: NKE21S095 ALUMY CREEK TRILOGY S095^{SV}

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+4.4	+5.9	-6.5	+3.8	+45	+83	+93	+66	+0.21	+7.7	+18	-10.0
ACC	67%	57%	84%	83%	84%	82%	83%	80%	64%	76%	76%	43%
Perc	37	25	22	50	82	80	94	92	75	59	44	1

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+2.9	+19	+54	+2.2	+2.7	+1.3	+0.4	+2.2	+0.92	+1.22	+1.22	+1.24
ACC	80%	77%	72%	71%	71%	72%	62%	75%	62%	68%	68%	54%
Perc	25	60	87	92	7	26	46	58	97	98	93	95

Selection Indexes	
\$A	\$A-L
\$245	\$390
18	29

Traits Observed: GL, BWT, Genomics

Notes: Slick coat long bodied Revered x GAR Proactive. Gd heifer bull combines calving ease , short GL & low birth wt with top 1% days to calving & top 25% scrotal fertility traits & (+)ve fats for easy keeping. Top 5 -40% across all \$ Indexes for flexible market options.

Purchaser: \$

Lot 22

ALUMY CREEK TRAILBLAZER V002 ^{PV}

NKE24V002

DOB: 12/07/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CA4%,DDFU,NHFU

A A R TEN X 7008 S A ^{SV}
V A R DISCOVERY 2240 ^{PV}
DEER VALLEY RITA 0308 #

RENNYLEA KODAK K522 ^{SV}
WARRAWEE QUORUM Q19 ^{SV}
WARRAWEE GENESIS BETH N16 #

Sire: USA18996007 FERGUSON TRAILBLAZER 239E ^{SV}
LD EMBLAZON 999 ^{PV}
MOLITOR999 BARBELLA 940-3012 #
MOLITOR FA BARBELLA 389-940 #

Dam: NKE21S177 ALUMY CREEK APPLAUSE S177 ^{SV}
MYTTY IN FOCUS #
ALUMY CREEK APPLAUSE F06 #
ALUMY CREEK APPLAUSE D38 #

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+1.1	+4.1	-4.5	+2.2	+47	+94	+119	+89	+0.31	+6.8	+18	-6.0
ACC	67%	59%	83%	82%	83%	82%	82%	79%	72%	82%	76%	44%
Perc	67	45	52	19	73	52	54	70	47	75	50	28

	SS	Doc	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	CS	FA	LA
EBV	+2.5	+37	+47	+9.4	+1.2	+0.3	+0.1	+4.7	+0.42	+1.00	+1.02	+0.94
ACC	80%	77%	72%	71%	70%	72%	62%	75%	63%	68%	67%	60%
Perc	38	6	94	23	25	41	63	11	70	81	62	25

Selection Indexes	
\$A	\$A-L
\$238	\$385
24	33

Traits Observed: GL, BWT, Genomics

Notes: Free moving low bwt Trailblazer son with length of neck & spine, good spring & depth of rib and clean sheath. Gd heifer bull +2.2 low birth wt with high carcasse value +9.4 EMA & top 10% Marbling +4.7 IMF & (+)ve fats plus top 6% docility

Purchaser: \$

Lot 23

ALUMY CREEK STATESMAN V074 ^{SV}

NKE24V074

DOB: 27/07/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CA1%,DDFU,NHFU

S S NIAGARA Z29 ^{SV}
TEHAMA PATRIARCH F028 ^{PV}
TEHAMA ELITE BLACKBIRD D826 #

CONNEALY CAPITALIST 028 #
LD CAPITALIST 316 ^{PV}
LD DIXIE ERICA 2053 #

Sire: USA20085208 VIRGINIA TECH STATESMAN ^{PV}
ELLINGSON HOMESTEAD 6030 #
VPI 310A RITA 9G6 ET #
AED RITA 310A #

Dam: NKEP068 ALUMY CREEK TRILOGY P068 #
EXAR UPSHOT 0562B #
ALUMY CREEK TRILOGY K45 #
ALUMY CREEK TRILOGY Z37 ^{SV}

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+5.4	+8.2	-2.7	+1.2	+46	+78	+94	+65	+0.11	+5.9	+13	-4.6
ACC	67%	57%	83%	82%	83%	81%	82%	79%	68%	79%	75%	43%
Perc	28	7	78	8	79	90	93	93	92	87	82	59

	SS	Doc	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	CS	FA	LA
EBV	+1.2	+17	+53	+8.3	+0.3	-0.7	+0.3	+4.1	+0.70	+0.96	+0.96	+0.86
ACC	79%	76%	70%	70%	69%	70%	61%	74%	61%	72%	71%	63%
Perc	83	68	89	33	43	58	52	18	90	74	47	10

Selection Indexes	
\$A	\$A-L
\$223	\$351
40	60

Traits Observed: GL, BWT, Genomics

Notes: Freemoving big marbling Statesman x 316. Good head carriage, length & depth of rib, clean sheath. Nice heifer bull, low bwt, good calving ease +8.3 EMA with +4.1 IMF Marbling for carcasse quality with bonus maternal longevity & fertility cowline.

Purchaser: \$

Lot 24

ALUMY CREEK STEP UP V118 ^{PV}

NKE24V118

DOB: 14/08/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CA2%,DDFU,NHFU

G A R SURE FIRE ^{SV}
G A R BIG STEP K715 #
CHAIR ROCK PROPHET 3131 #

SYDGEN ENHANCE ^{SV}
MOGCK ENTICE ^{SV}
MOGCK ERICA 2255 #

Sire: USA19430597 EZAR STEP UP 9178 ^{PV}
EXAR DENVER 2002B #
BASIN LUCY 4261 #
BASIN LUCY 1022 #

Dam: NKER004 ALUMY CREEK APPLAUSE R004 ^{SV}
PA RANCH HOUSE 349 ^{PV}
ALUMY CREEK APPLAUSE M008 #
ALUMY CREEK APPLAUSE J69 #

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+2.0	+5.8	-8.5	+5.5	+62	+104	+126	+106	+0.07	+7.7	+21	-6.4
ACC	67%	56%	84%	83%	84%	82%	82%	79%	68%	78%	76%	42%
Perc	60	26	7	83	12	23	40	44	95	59	27	22

	SS	Doc	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	CS	FA	LA
EBV	+2.8	+29	+74	+9.7	-4.0	-6.7	+1.4	+2.2	+0.12	+0.58	+0.80	+0.78
ACC	80%	78%	71%	71%	70%	71%	62%	75%	62%	71%	71%	63%
Perc	28	20	37	20	99	99	6	58	37	8	14	4

Selection Indexes	
\$A	\$A-L
\$247	\$405
17	19

Traits Observed: GL, BWT, Genomics

Notes: Bigger frame Step Up x Entice. Balanced EBVs top 7 % short GL, top 12 -23% early growth, top 20 -30% milk, fertility, scrotal & docility with +9.7 EMA, +2.2 IMF & top 6% yield. Excellent foot/ leg structure EBVs and top 10 -25% \$ Indexes for flexible market options.

Purchaser: \$

Lot 25

ALUMY CREEK STEP UP V029^{SV}

NKE24V029

DOB: 21/07/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

G A R SURE FIRE^{SV}
G A R BIG STEP K715[#]
CHAIR ROCK PROPHET 3131[#]

CONNEALY CAPITALIST 028[#]
LD CAPITALIST 316^{PV}
LD DIXIE ERICA 2053[#]

Sire: USA19430597 EZAR STEP UP 9178^{PV}Dam: NKEQ059 ALUMY CREEK TRILOGY Q059[#]

EXAR DENVER 2002B[#]
BASIN LUCY 4261[#]
BASIN LUCY 1022[#]

CONNEALY EARNAN 076E^{PV}
ALUMY CREEK TRILOGY K52[#]
ALUMY CREEK TRILOGY F60[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+5.4	+2.4	-6.4	+4.1	+54	+92	+114	+114	+0.26	+6.3	+12	-4.7
ACC	67%	57%	83%	82%	83%	82%	82%	79%	69%	79%	75%	44%
Perc	28	63	24	56	40	58	67	32	62	82	86	56

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+0.2	+9	+67	+7.6	+0.6	-0.7	+0.7	+2.6	+0.14	+0.92	+0.88	+0.94
ACC	80%	77%	71%	71%	70%	71%	62%	75%	62%	72%	72%	66%
Perc	97	89	57	40	37	58	29	48	39	67	28	25

Selection Indexes	
\$A	\$A-L
\$215	\$374
49	42

Traits Observed: GL, BWT, Genomics

Notes: Free moving long bodied Step Up x 316 bull with good depth & spring of rib. Good skin, nice type well muscled heifer bull +7.6 EMA, (+)ve fats for easy finishing, +2.9 IMF from good fertility/ longevity cow family.

Purchaser: \$

Lot 26

ALUMY CREEK STATESMAN V148^{SV}

NKE24V148

DOB: 22/08/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CA2%,DDFU,NHFU

S S NIAGARA Z29^{SV}
TEHAMA PATRIARCH F028^{PV}
TEHAMA ELITE BLACKBIRD D826[#]

A A R TEN X 7008 S A^{SV}
DEER VALLEY ALL IN^{SV}
DEER VALLEY RITA 0274[#]

Sire: USA20085208 VIRGINIA TECH STATESMAN^{PV}Dam: NKEM084 ALUMY CREEK TRILOGY M084[#]

ELLINGSON HOMESTEAD 6030[#]
VPI 310A RITA 9G6 ET[#]
AED RITA 310A[#]

BON VIEW NEW DESIGN 878[#]
ALUMY CREEK TRILOGY Z37^{SV}
ALUMY CREEK TRILOGY V41[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	-3.9	+5.7	-3.5	+4.3	+69	+120	+146	+138	+0.37	+7.3	+10	-4.8
ACC	66%	56%	83%	82%	83%	81%	81%	79%	68%	79%	75%	42%
Perc	91	27	68	61	3	3	9	9	30	66	93	54

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+1.5	+3	+94	+10.9	-2.1	-3.3	+1.5	+1.4	+0.18	+1.52	+1.14	+0.94
ACC	79%	75%	70%	70%	69%	70%	61%	74%	61%	71%	71%	61%
Perc	74	98	4	13	89	91	5	76	44	99	85	25

Selection Indexes	
\$A	\$A-L
\$249	\$422
15	11

Traits Observed: GL, BWT, Genomics

Notes: Long bodied strong spined heavy muscled Statesman bull from big longevity & fertility cow. Clean sheathed good skin with top 3% growth wt, top 4% carcase wt, top 5% yield & +10.9 EMA. Top 7-24% across all \$ Indexes for flexible market options.

Purchaser: \$

Lot 27

ALUMY CREEK CONVERSE V133^{PV}

NKE24V133

DOB: 15/08/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

CONNEALY CONFIDENCE 0100[#]
CONNEALY CONFIDENCE PLUS[#]
ELBANNA OF CONANGA 1209[#]

SYDGEN ENHANCE^{SV}
MOGCK ENTICE^{SV}
MOGCK ERICA 2255[#]

Sire: USA19251492 LT CONVERSE 8011^{PV}Dam: NKE21S079 ALUMY CREEK JANGLE S079^{SV}

KOUPAL ADVANCE 28[#]
LT NORDICA 6066[#]
LT NORDICA 3278[#]

FREYS OPPORTUNITY 148A^{PV}
ALUMY CREEK JANGLE N050[#]
ALUMY CREEK JANGLE E21[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+9.5	+7.5	-6.9	+1.0	+53	+100	+121	+116	+0.37	+7.4	+16	-2.4
ACC	67%	56%	83%	83%	84%	82%	82%	79%	65%	76%	75%	40%
Perc	3	11	18	7	47	34	50	29	30	64	59	94

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+2.1	+39	+58	+3.7	+2.3	+2.7	-0.5	+1.2	-0.09	+0.90	+0.80	+1.02
ACC	80%	77%	71%	70%	70%	71%	61%	74%	61%	67%	67%	57%
Perc	53	4	80	83	11	11	89	80	18	63	14	48

Selection Indexes	
\$A	\$A-L
\$173	\$338
86	70

Traits Observed: GL, BWT, Genomics

Notes: Another gd type Converse x Entice sleep easy heifer bull. Combines top 3% calving ease, top 18% short gestation, & top 7% low birth wt with top 34% growth wt. Top 4% docility, with top 18% feed efficiency & top 11% positive fats for easy born easy finish calves

Purchaser: \$

Lot 28

ALUMY CREEK STEP UP V135^{SV}

NKE24V135

DOB: 18/08/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

G A R SURE FIRE^{SV}
G A R BIG STEP K715[#]
CHAIR ROCK PROPHET 3131[#]

PA FULL POWER 1208^{PV}
ROCK CREEK RANCHER 1495^{SV}
BAF FOREVER LADY 1080[#]

Sire: USA19430597 EZAR STEP UP 9178^{PV}Dam: NKEQ105 ALUMY CREEK APPLAUSE Q105[#]

EXAR DENVER 2002B[#]
BASIN LUCY 4261[#]
BASIN LUCY 1022[#]

CONNEALY EARNAN 076E^{PV}
ALUMY CREEK APPLAUSE M048[#]
ALUMY CREEK APPLAUSE F18[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+3.0	-1.2	-7.1	+4.2	+59	+106	+135	+121	+0.17	+7.7	+11	-3.4
ACC	65%	54%	83%	82%	83%	81%	82%	79%	67%	78%	75%	41%
Perc	51	87	16	59	19	20	22	23	84	58	90	82

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+2.6	+21	+71	+12.3	-1.0	-1.4	+0.8	+3.0	+0.22	+0.78	+0.82	+0.80
ACC	80%	76%	70%	70%	69%	70%	61%	74%	61%	70%	70%	64%
Perc	35	47	44	7	73	69	24	38	48	38	17	5

Selection Indexes	
\$A	\$A-L
\$229	\$389
33	30

Traits Observed: GL, BWT, Genomics

Notes: Balanced data slick coated Step Up son. Combines top 16% short gestation length, moderate birth wt with top 20 -25% growth wts. Added carcase value with +12.3 EMA & +3.0 Marbling.

Purchaser: \$

Lot 29

ALUMY CREEK STATESMAN V101^{PV}

NKE24V101

DOB: 31/07/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

S S NIAGARA Z29^{SV}
TEHAMA PATRIARCH F028^{PV}
TEHAMA ELITE BLACKBIRD D826[#]

EF COMMANDO 1366^{SV}
BALDRIDGE COMPASS C041^{SV}
BALDRIDGE ISABEL Y69[#]

Sire: USA20085208 VIRGINIA TECH STATESMAN^{PV}Dam: NKE21S090 ALUMY CREEK TANDIA S090^{SV}

ELLINGSON HOMESTEAD 6030[#]
VPI 310A RITA 9G6 ET[#]
AED RITA 310A[#]

CONNEALY EARNAN 076E^{PV}
ALUMY CREEK TANDIA K42[#]
ALUMY CREEK TANDIA G61[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	-4.2	-1.9	-2.0	+4.7	+66	+117	+140	+119	+0.29	+6.7	+18	-6.1
ACC	66%	56%	83%	82%	82%	81%	81%	78%	66%	77%	75%	42%
Perc	92	90	86	69	6	5	16	26	53	76	46	26

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	+1.6	+26	+96	+6.2	-0.1	-1.6	-0.2	+3.9	+0.41	+1.16	+0.94	+0.98
ACC	79%	75%	70%	69%	69%	70%	60%	74%	61%	72%	72%	63%
Perc	71	30	3	56	53	72	78	21	69	95	42	36

Selection Indexes	
\$A	\$A-L
\$246	\$402
17	21

Traits Observed: GL, BWT, Genomics

Notes: Bigger framed Statesman x Compass bull with good head carriage, long neck & spine, good depth & spring of rib & clean sheath. Top 5-16% growth wt & top 3% carcase wt with +6.2 EMA & +3.9 IMF Marbling. Balanced top 12 -35% across all \$ Index for flexible market options

Purchaser: \$

Lot 30

ALUMY CREEK STATESMAN V160^{SV}

NKE24V160

DOB: 26/08/2024Registration Status: HBRMating Type: AIGenetic Status: AMFU,CAFU,DDFU,NHFU

S S NIAGARA Z29^{SV}
TEHAMA PATRIARCH F028^{PV}
TEHAMA ELITE BLACKBIRD D826[#]

CONNEALY CONSENSUS[#]
CONNEALY EARNAN 076E^{PV}
BRAZILA OF CONANGA 3991 839A[#]

Sire: USA20085208 VIRGINIA TECH STATESMAN^{PV}Dam: NKEM077 ALUMY CREEK TRILOGY M077[#]

ELLINGSON HOMESTEAD 6030[#]
VPI 310A RITA 9G6 ET[#]
AED RITA 310A[#]

TC ABERDEEN 759^{SV}
ALUMY CREEK TRILOGY H20[#]
ALUMY CREEK TRILOGY D35[#]

August 2026 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200 W	400 W	600 W	MCW	MBC	MCH	Milk	DTC
EBV	+0.4	+1.8	-1.3	+3.9	+61	+100	+129	+106	+0.24	+5.5	+20	-2.6
ACC	67%	57%	84%	82%	83%	81%	82%	79%	66%	77%	75%	43%
Perc	72	68	91	52	14	33	33	44	67	90	34	92

	SS	Doc	CWT	EMA	Rib	Rump	RBY	IMF	NFI-F	CS	FA	LA
EBV	-0.2	+7	+82	+6.7	+1.4	+0.3	-0.3	+2.6	-0.09	+1.18	+1.02	+0.90
ACC	79%	76%	71%	70%	70%	71%	61%	74%	62%	71%	71%	61%
Perc	99	92	17	51	22	41	82	48	18	96	62	16

Selection Indexes	
\$A	\$A-L
\$207	\$344
58	65

Traits Observed: GL, BWT, Genomics

Notes: Thick long bodied Statesman x Connealy Earnan cow with 7 calves @ 9yo. Balances low birthwt, top 14 -33% growth wt, top 17% carcase wt with top 18% feed efficiency & (+)ve fats, +6.7 EMA & +2.6 IMF Marbling. Use for good feeders & top longevity female replacements.

Purchaser: \$

Angus Australia

Disclaimer and Privacy Information



Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV: both parents have been verified by DNA.

SV: the sire has been verified by DNA.

DV: the dam has been verified by DNA.

#: DNA verification has not been conducted.

E: DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

Buyers option to opt out of disclosing personal information to Angus Australia

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.

I, the buyer of animals with the following ids _____

from member _____ (name) do not consent to Angus Australia using my name address and phone number for the purposes of effecting a change of registration of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that information to its members on its website.

Authorised Name: _____ Signature: _____

Date: _____

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350



Recessive Genetic Conditions



This is information for bull buyers about the recessive genetic conditions, Arthrogryposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or "broken" genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or "broken" alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or "broken" genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by "broken" alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele, and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which

can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on Pedigree AM free - Animal has not been tested
AM_%	_% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.

Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an "Database Search" from the Angus Australia website or looking up individual animals listed in a sale catalogue.

Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia (02) 6773 4600.



Understanding the TransTasman Angus Cattle Evaluation (TACE)

What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20

kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals recorded with Angus Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes.

For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Calving Ease/Birth	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	CEDtrs	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
Growth	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
Carcase	CWT	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	EMA	cm ²	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	RBV	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Feed/Temp.	NFI-F	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate a lower score.
	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate a lower score.
	Leg Angle	score	Genetic differences in rear leg structure when viewed from the side (angle at front of the hock).	Lower EBVs indicate a lower score.
Selection Index	\$A	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.	Higher selection indexes indicate greater profitability.
	\$A-L	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems. The \$A-L index is similar to the \$A index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$A aims to maintain mature cow weight, the \$A-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Selection Indexes	\$D	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcass weight with 12mm P8 fat depth) at 16 months of age.	Higher selection indexes indicate greater profitability.
	\$D-L	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcass weight with 12mm P8 fat depth) at 16 months of age. The \$D-L index is similar to the \$D index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$D aims to maintain mature cow weight, the \$D-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.
	\$GN	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcass weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
	\$GN-L	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcass weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling. The \$GN-L index is similar to the \$GN index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$GN aims to maintain mature cow weight, the \$GN-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.
	\$GS	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcass weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements.	Higher selection indexes indicate greater profitability.
	\$GS-L	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcass weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements. The \$GS-L index is similar to the \$GS index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$GS aims to maintain mature cow weight, the \$GS-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.
	\$PRO	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd based in New Zealand that targets the production of grass finished steers for the AngusPure programme. Steers are assumed marketed at approximately 530 kg live weight (290 kg carcass weight with 10 mm P8 fat depth) at 20 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
	\$T	\$	Genetic difference between animals in net profitability per cow joined in a situation where Angus bulls are being used as a terminal sire over mature breeding females and all progeny, both male and female, are slaughtered. The Angus Terminal Sire Index focusses on increasing growth, carcass yield and eating quality. Daughters are not retained for breeding and therefore no emphasis is given to female fertility or maternal traits.	Higher selection indexes indicate greater profitability.

BRINGING YOUR NEW BULL HOME



When purchasing a bull, care and handling after the sale can be as important as the purchase itself. Looking after your bull well during the initial stages of his working life may ensure longevity and success within your breeding herd.

Purchase

Temperament is an important characteristic when selecting a bull. Selecting a bull that may be flighty or aggressive will make life difficult for you each time he is handled.

Note which bulls continually push to the centre of a mob, run around, or are unreasonably nervous, aggressive or excited.

At the sale, note any changes of temperament by individual bulls. Some bulls that are quiet in the yard or paddock may not like the pressure and noise of the auction and become excited. Others that were excited beforehand get much worse in the sale ring and can really perform. Use the yard or paddock behaviour as a guide, rather than the temperament shown in the ring.

Delivery

When transporting your new bull insurance against loss in transit, accidental loss of use, or infertility, is sometimes provided by vendors. Where it is not, it is worth considering. After purchase tips:

- When purchasing, ask which health treatments he has received.
- Treat and handle him quietly at all times - no dogs, no buzzers. Talk to him and give him time and room to make up his mind.
- With more than one bull from different origins, you must be able to separate them on the truck.
- Make sure that the truck floor is covered to prevent bulls from slipping. Sand, sawdust or a floor grid will prevent bulls from being damaged by going down in transit.
- If you can arrange it, put a few quiet cows or steers on the truck with the bull. Let them down into a yard with the bulls for a while before loading and after unloading.
- Unload and reload during the trip as little as possible. If necessary, rest with water and feed. Treat bulls kindly your impatience or nervousness is easily transmitted to an animal unfamiliar to you and unsure of his environment.

If you use a professional carrier:

- Make sure the carrier knows which bulls can be mixed together.

- Discuss with the carrier, resting procedures for long trips, expected delivery time, truck condition and quiet handling.
- Give ear tag and brand numbers to the carrier and make sure you have the carrier's phone number.
- If buying bulls from interstate, organise any necessary health tests before leaving and work out if any other requirements must be met before cattle can come into another State.

When buying bulls from far away, you may often have to fit in with other delivery arrangements to reduce cost. You should make it clear how you want your bulls handled.

Arrival

When the bull or bulls arrive home, unload them at the yards into a group of house cows, steers or herd cows. Never jump them from the back of a truck directly into a paddock—it may be the last time you see them. Bulls from different origins should be put into separate yards with other cattle for company.

Provide hay and water, then leave them alone until the next morning.

The next day, bulls should receive routine health treatments. If they have not been treated before, all bulls should be vaccinated with:

- 5-in-1 vaccine;
- vibriosis vaccine;
- leptospirosis vaccine (if in areas like the Hunter where leptospirosis exists);
- three-day sickness vaccine (if in areas where this sickness can cause problems).

Give particular attention to preventing new bulls bringing vibriosis into a herd. Vibriosis, a sexually transmitted disease, causes infertility and abortions and is most commonly introduced to a clean herd by an infected bull.

These bulls show no signs of the illness. Vaccinated bulls are free from vibriosis, so vaccinating bulls against the disease should be a routine practice. Vaccination involves two injections, 4–6 weeks apart, at the time of introduction, and then a booster shot every year. Complete the vaccinations 4 weeks before joining.



BRINGING YOUR NEW BULL HOME



Consult with your veterinarian and draw up a policy for treating bulls on arrival and then annually. Bulls should be drenched to prevent introducing worms and, if necessary, should be treated for lice. Plan to give follow-up vaccinations 4–6 weeks later. Leave the bulls in the yards for the next day or two on feed and water to allow them to settle down with other stock for company. A bull's behaviour will decide how quickly he can be moved out to paddocks.

Mating new young bulls

Newly purchased young bulls should not be placed with older herd bulls for multiple-sire joining. The older, dominant bull will not allow the young bulls to work, and will knock them around while keeping them away from the cows. Use new bulls in either single-sire groups or with young bulls their own age. If a number of young bulls are to be used together, run them together for a few weeks before joining starts. They sort out their pecking order quickly and have few problems later. When the young bulls are working, inspect them regularly and closely.

Managing Older Herd Bulls

Older working bulls also need special care and attention before mating starts. They should be tested or checked every year for physical soundness, testicle tone, and serving capacity or ability. All bulls to be used must be free-moving, active and in good condition. Working bulls may need supplementary feeding before the joining season to bring up condition.

During mating

- Check bulls at least twice each week for the first 2 months. Get up close to them and watch each bull walk; check for swellings around the sheath and for lameness.
- Have a spare bull or bulls available to replace any that break down. Replace any suspect bull immediately.
- Rotate bulls in single-sire groups to make sure that any bull infertility is covered. Single-sire joining works well but it has risks. The bulls must be checked regularly and carefully, or the bulls should be rotated every one or two cycles.

Bulls are a large investment for breeding herds and they have a major effect on herd fertility. A little time and attention to make sure they are fit, free from disease and actively working is well worthwhile.

Northern Australia

Although the Angus breed originated in a cooler climate, they can adapt to subtropical regions with many straightbred and cross bred producers finding success in Northern Australia. Some of the following information may also be helpful for new bulls located in more temperate climates.

Adaptation

They key to Northern success for Angus is that cattle introduced from the Southern regions of Australia be allowed to adapt to their new environment before commencing their working life. If possible, a break of 3 months is advisable before you set your bull to work.

Purchase in cooler months

Ensure your bulls are in good condition before they do commence their working life. The cooler months are an ideal time to purchase and introduce Angus cattle, allowing them plenty of time to acclimatise.

Change of feed source

When inducting Angus cattle into your herd consider their source of feed. Have you taken an animal which has been supplemented on grain straight to a dry pasture? Animals should be gradually changed over to their new feed to ensure they do not lose condition. This may involve using supplements which could include dry lick/urea blocks.

Managing Cattle Ticks

For ticky areas, bulls should be vaccinated prior to transport and given another booster afterwards. Remember male are more susceptible to ticks than females.

**Information is provided by the Department of Primary Industries NSW. For further information visit www.dpi.nsw.gov.au or www.angusaustralia.com.au.*

**FOR MORE INFORMATION
ON GUIDELINES FOR
THE RELOCATION &
ONGOING MANAGEMENT
OF ANGUS BULLS.**



The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV : both parents have been verified by DNA

SV : the sire has been verified by DNA

DV : the dam has been verified by DNA

: DNA verification has not been conducted

E : DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

TACE



TransTasman Angus Cattle Evaluation

TACE



TransTasman Angus
Cattle Evaluation
